ELSEVIER

Chemical Engineering Journal 83 (2001) 225

Chemical Engineering Journal

www.elsevier.com/locate/cej

Author Index of Volume 83

Aguilar, R. 25
Al-Duri, B. 15
Al-Jabari, M. 79
Al-Khateeb, I. 79
Allen, R.W.K. 165
Alvarez-Ramirez, J. 25
Ar, İ. 131
Archer, E.D. 165
Armon, R. 123

Bache, D.H. 67
Barron, M. 25
Bhaskar Rao, B.K. 185

Chiu, M.-S. 145
Ciubotaru, C. 39

Delalu, H. 219
Dinjus, E. 207
Doğu, G. 131
Duriche, C. 219

Elkhatib, M. 219
Elomar, F. 219

Fechete, I. 39
Fernandez, G. 25

Geboers, M.A.M. 107
Gonzalez, J. 25
Górak, A. 85
Graham, R.G. 33

Hills, J.H. 45
Holmes, W.M. 33

Kenig, E.Y. 85
Kerkhof, P.J.A.M. 107
Khummongkol, D. 215
Koukou, M.K. 95
Kritzer, P. 207

Liu, J.G. 55
Luo, G.S. 55

MacInnes, J.M. 165
Markatos, N.C. 95
Martin, H. 1
Masiuk, S. 139
Meyer, M. 7
Mousa, H. 79

Negny, S. 7
Netrbungon, W. 215
Ngearnthaworn, O. 215

Packer, K.J. 33
Panda, R.C. 1
Papayannakos, N. 95
Petrescu, S. 39
Peyrot, L. 219
Pradhan, N.C. 185
Prevost, M. 7
Ptasinski, K.J. 107

Rasool, E. 67

Sanaullah, K. 45
Saonam, T. 215
Schneider, R. 85
Seidel, A. 123
Senol, A. 155
Shiraishi, F. 175
Sridevi, U. 185

Tabiś, B.. 191

Walker, G.M. 201
Wang, B. 145
Weatherley, L.R. 201

Yang, X.-Y. 15

Zaidi, S.H. 45
Zank, J. 1
Zhai, S.L. 55
Zimmels, Y. 123

1385-8947/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S1385-8947(01)00181-4

ELSEVIER

Chemical Engineering Journal 83 (2001) 227–229

Chemical Engineering Journal

www.elsevier.com/locate/cej

Subject Index of Volume 83

Adsorption
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
Adsorption by particles injected into a gas stream, 165
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201
Alamine 336
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155
$AlCl_3$-impregnation
Kinetics of alkylation of benzene with ethanol on $AlCl_3$-impregnated 13X zeolites, 185
Alkylation
Kinetics of alkylation of benzene with ethanol on $AlCl_3$-impregnated 13X zeolites, 185
Amino acids
Selective recovery of amino acids by aqueous two-phase electrophoresis, 55
Analytical solution
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
Aqueous two-phase system
Selective recovery of amino acids by aqueous two-phase electrophoresis, 55
Axial dispersion model
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175

Baroeffect
On the isothermal binary mass transport in a single pore, 107
Benzene ethylation
Kinetics of alkylation of benzene with ethanol on $AlCl_3$-impregnated 13X zeolites, 185
Binary friction model
On the isothermal binary mass transport in a single pore, 107
Bioleaching
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
Bioprocess
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
Bioreactor
Sliding mode observer-based control for a class of bioreactors, 25
Branched pore diffusion model
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
Bubbly flow
A study of bubbly flow using resistivity probes in a novel configuration, 45

Calcination kinetics
Calcination kinetics of high purity limestones, 131
Calcination rate
Calcination kinetics of high purity limestones, 131
Carbon adsorbents
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201
Carbon particles
Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79
Chloramine
Synthesis of enriched solutions of chloramine starting from hypochlorite at high chlorometric degree, 219
Coal fly ash
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
Coating
Experimental investigation of droplet deposition on a single particle, 1
Corrosion
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207

Deposition
Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79
Diffusion
Diffusion in surface-wetting films in a two-phase saturated porous solid characterised by pulsed magnetic field gradient NMR, 33
Diffusion–reaction coupling
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
Diluent
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155
Dry sorption
Adsorption by particles injected into a gas stream, 165
Dusty gas model
On the isothermal binary mass transport in a single pore, 107
Dye aggregation
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201

Electrophoresis
Selective recovery of amino acids by aqueous two-phase electrophoresis, 55
Energy balance
Characteristics of turbulence in a multigrid mixer, 67
Energy dissipation
Characteristics of turbulence in a multigrid mixer, 67
Eulerian time scale
Characteristics of turbulence in a multigrid mixer, 67
Extraction equilibria
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155

Fast Fourier transform
An improved on-line monitoring procedure for multiloop control systems, 145

1385-8947/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S1385-8947(01)00182-6

Film model
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
Fluidized bed
Experimental investigation of droplet deposition on a single particle, 1
Fluidized-bed reactor
Methanol synthesis in a fluidized-bed reactor coupled with an external heat exchanger. The effect of feedback deformation, 191
Freundlich equilibrium relation
Adsorption by particles injected into a gas stream, 165
Fritz–Schlünder isotherm
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15

General initial and boundary conditions
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
Growth mechanism
Experimental investigation of droplet deposition on a single particle, 1

Heat exchanger
Methanol synthesis in a fluidized-bed reactor coupled with an external heat exchanger. The effect of feedback deformation, 191
Heat transfer coefficient
Heat transfer at solid melting in solutions, 39

Ice melting
Heat transfer at solid melting in solutions, 39
Impinger
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
Industrial-scale
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
Isotherm analysis
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201

Kinetics
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
Kinetics of alkylation of benzene with ethanol on $AlCl_3$-impregnated 13X zeolites, 185

Laminar flow
Enhancement of absorption efficiency for a laminar film flow by hydrodynamic conditions generated by a new type of column wall, 7
Langmuir model
Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79
Limestone
Calcination kinetics of high purity limestones, 131
Liquid–solid contacting operation
Dissolution of solid body in a tubular reactor with reciprocating plate agitator, 139

Mass transfer
Dissolution of solid body in a tubular reactor with reciprocating plate agitator, 139
Mass transfer parameters
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15
Maxwell–Stefan
On the isothermal binary mass transport in a single pore, 107
Melting heat transfer
Heat transfer at solid melting in solutions, 39
Melting mass transfer
Heat transfer at solid melting in solutions, 39
Membrane
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
Methanol
Methanol synthesis in a fluidized-bed reactor coupled with an external heat exchanger. The effect of feedback deformation, 191
Microbial growth
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
Modeling
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155
Module design
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
Multicomponent diffusion
On the isothermal binary mass transport in a single pore, 107
Multicomponent systems
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85
Multigrid oscillatory mixer
Characteristics of turbulence in a multigrid mixer, 67
Multiloop control systems
An improved on-line monitoring procedure for multiloop control systems, 145

$NaOCl{\cdot}5H_2O$
Synthesis of enriched solutions of chloramine starting from hypochlorite at high chlorometric degree, 219
Needle probes
A study of bubbly flow using resistivity probes in a novel configuration, 45
Nicotinic acid
Extraction equilibria of nicotinic acid using Alamine 336 and conventional solvents: effect of diluent, 155
NMR
Diffusion in surface-wetting films in a two-phase saturated porous solid characterised by pulsed magnetic field gradient NMR, 33
Non-ideal flow
On the importance of non-ideal flow effects in the operation of industrial-scale adiabatic membrane reactors, 95
Novel configuration
A study of bubbly flow using resistivity probes in a novel configuration, 45
Numerical solution
Application of branched pore diffusion model in the adsorption of reactive dyes on activated carbon, 15

On-line monitoring procedure
An improved on-line monitoring procedure for multiloop control systems, 145

Plastic spheres
Effect of physicochemical and hydrodynamic conditions on kinetics of carbon particles deposition on plastic particles, 79
Pore structure
Adsorption of dyes from aqueous solution — the effect of adsorbent pore size distribution and dye aggregation, 201
Porous media
On the isothermal binary mass transport in a single pore, 107

Reactor
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207

Reciprocating plate agitator
Dissolution of solid body in a tubular reactor with reciprocating plate agitator, 139
Resistivity
A study of bubbly flow using resistivity probes in a novel configuration, 45
Reynolds number
Characteristics of turbulence in a multigrid mixer, 67
Rigid surface
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215

Salt plugging
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207
Scale observers
Sliding mode observer-based control for a class of bioreactors, 25
Shooting method
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
Simulations
Sliding mode observer-based control for a class of bioreactors, 25
Sliding mode
Sliding mode observer-based control for a class of bioreactors, 25
Sodium hypochlorite
Synthesis of enriched solutions of chloramine starting from hypochlorite at high chlorometric degree, 219
Solid-waste treatment
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
Spray granulation
Experimental investigation of droplet deposition on a single particle, 1
S-system
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
Supercritical water oxidation
An assessment of supercritical water oxidation (SCWO). Existing problems, possible solutions and new reactor concepts, 207
Superhigh-order accuracy
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
Surface
Diffusion in surface-wetting films in a two-phase saturated porous solid characterised by pulsed magnetic field gradient NMR, 33

Taylor series method
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175
Thiobacillus thiooxidans
Mechanism of bioleaching of coal fly ash by *Thiobacillus thiooxidans*, 123
Two-dimensional
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
Two-point boundary value problem
Highly accurate solution of the axial dispersion model expressed in S-system canonical form by Taylor series method, 175

Unsteady-state formulation
Multicomponent unsteady-state film model: a general analytical solution to the linearized diffusion–reaction problem, 85

Velocity
Velocity profiles of air impinging on a two-dimensional confined rigid surface, 215
Vortex
Enhancement of absorption efficiency for a laminar film flow by hydrodynamic conditions generated by a new type of column wall, 7

Wavy wall column
Enhancement of absorption efficiency for a laminar film flow by hydrodynamic conditions generated by a new type of column wall, 7

13X zeolite
Kinetics of alkylation of benzene with ethanol on $AlCl_3$-impregnated 13X zeolites, 185